

Dell PowerEdge R440 Server Datasheet



CONTENT

Content	1
Overview	2
Features	2
Specification	3
Ordering information	7
Where to Buy	9
Sources	9

Contact Us

Tel: +1-626-239-8066 (USA) +852-3050-1066 / +852-3174-6166 /

Fax: +852-3050-1066 (Hong Kong)

Email: sales@router-switch.com (Sales Inquiries)

OVERVIEW

The PowerEdge R440 delivers the perfect combination of performance and density for HPC and web-tech deployments with a feature set right-sized for scale-out infrastructure environments.

Figure 1. Dell PowerEdge R440 Server



FEATURES

Deliver performance at scale with the Dell EMC PowerEdge portfolio

Modern compute platforms from Dell EMC easily scale and leverage key technologies to maximize application performance. The PowerEdge R440 is built on a scalable architecture that provides the choice and flexibility to optimize performance and density.

- Scale compute resources with 2nd Generation Intel® Xeon® Scalable processors, and tailor performance based on your unique workload requirements.
- Flexible storage with up to 10 x 2.5 SAS/SATA/SSD with up to 4 NVMe PCle SSD's or 4 x 3.5.
- Free up storage with boot optimized M.2 SSDs.

Intuitive systems management with intelligent automation

The Dell EMC OpenManage[™] portfolio helps deliver peak efficiency for PowerEdge servers, delivering intelligent, automated management of routine tasks. Combined with unique agent-free management capabilities, the R440 is simply managed, freeing up time for high profile projects.

- Simplify management of your servers with OpenManage Essentials, a 1:many console that automates all phases of lifecycle management: deployment, updates, monitoring, and maintenance.
- Use Quick Sync 2, a wireless module, and the OpenManage Mobile app for at-server management, to configure or troubleshoot in the data center, and to receive alerts when you're on the go.

Rely on PowerEdge with built-in security

Every PowerEdge server is made with a cyber-resilient architecture, building security into all parts of a server's life cycle. The R440 uses these new security features so you can reliably and securely deliver the right data to where your customers are, no matter where they are. Dell EMC consider each part of system security, from design to end of life, to ensure trust and deliver worry-free, secure systems.

- Rely on a secure supply chain that protects servers from factory to the data center.
- Maintain data safety with cryptographically signed firmware packages and Secure Boot.
- Prevent unauthorized or malicious change with Server Lockdown.
- Wipe all data from storage media including hard drives, SSDs and system memory quickly and securely with System Erase.

SPECIFICATION

Specification	Dell PowerEdge R440 Server
Processor	Up to two 2 nd Generation Intel® Xeon® Scalable processors, up to 24 cores per processor
Memory	16 DDR4 DIMM slots, Supports RDIMM /LRDIMM, speeds up to 2666MT/s, 1TB max
Storage controllers	Internal Controllers: PERC H330, H730P, H740P, HBA330
	External Controllers: H840, 12 Gbps SAS HBA
	Software RAID:S140
	Boot Optimized Storage Subsystem (BOSS):HWRAID 2 x M.2 SSDs
	240GB, 480GB
	Internal Dual SD Module

Drive bays	Front drive bays: Up to 10 x 2.5" SAS/SATA (HDD/SSD) with up to 4
Silve days	NVMe SSD max 76.8TB or
	_
	up to 4 x 3.5 SAS/SATA HDD max 64TB
	Optional DVD-ROM, DVD+RW
Power supplies	Bronze 450W (Cabled PSU), Platinum 550W (Hot plug PSU with full
	redundancy option)
	Up to six cabled fans
	OP 35 511 343 541 14115
Dimensions	Form factor: Rack (1U) Height: 42.8mm (1.68")
	Width*: 434mm (17.08")
	Depth*: 714.62mm (28.13")
	Weight: 17.6kg (38.9lbs.)
	*Dimensions do not include bezel
Bezel	Optional LCD or security bezel
Embedded / At-Server	iDRAC9
	iDRAC Direct
	IDRAC DIFECT
	iDRAC REST API with Redfish
	Quick Sync 2 BLE/wireless module
Consoles & Mobile	OpenManage Enterprise
	OpenManage Essentials
	OpenManage Mobile
	Ореничанаве иновне
	OpenManage Power Center
Integrations	OpenManage integrations: Microsoft® System Center, VMware®

	vCenter [™] , BMC Truesight, Red Hat [®] Ansible [®] Modules
Connections	OpenManage connections: Nagios® & Nagios® XI, IBM Tivoli Netcool/OMNIbus, Micro Focus Operations Manager I
Tools	Dell EMC Repository Manager
	Dell EMC Update Package
	Dell EMC System Update
	Dell EMC Server Update Utility
	iDRAC Service Module
	OpenManage Server Administrator
	OpenManage Storage Services
Security	TPM 1.2/2.0, TCM 2.0 optional
	Cryptographically signed firmware
	Silicon Root of Trust
	Secure Boot
	System Lockdown (requires OpenManage Enterprise)
	System Erase
I/O & Ports	Network options
	2 x 1GbE LOM + (optional) LOM Riser 2 x 1GbE or 2x 10GbE SFP+ or
	2 x 10GbE BaseT
	Front ports: 1 x Dedicated iDRAC Direct USB, 1 x USB 2.0, 1 x USB 3.0 (Optional), 1 x Video
	Rear ports: 1 x Dedicated iDRAC network port, 1 x Serial, 2 x USB 3.0, 1 x Video

	Up to 2 x PCle Gen 3 slots all x16
Supported operating systems	Canonical® Ubuntu® Server LTS
	Citrix® Hypervisor
	Microsoft Windows Server® LTSC with Hyper-V
	Red Hat® Enterprise Linux
	SUSE® Linux Enterprise Server
	VMware® ESXi
OEM-ready version available	From bezel to BIOS to packaging, your servers can look and feel as if they were designed and built by you.
Recommended support	Choose Dell ProSupport Plus for critical systems or Dell ProSupport for premium hardware and software support for your PowerEdge solution. Consulting and deployment offerings are also available. Contact your Dell representative today for more information.
	Availability and terms of Dell Services vary by region.

ORDERING INFORMATION

Configured Models
Dell 1U R440 3204/8G*1/600G SAS 10K*1/H330/DVD/450W*1/3.5-4
Dell 1U R440 3204/8G*1/600G SAS 10K*1/H330/DVD/550W*2/3.5-4
Dell 1U R440 4208/8G*1/600G SAS 10K*1/H330/DVD/450W*1/3.5-4
Dell 1U R440 4208/8G*1/600G SAS 10K*1/H330/DVD/550W*2/3.5-4
Dell 1U R440 4210/8G*1/600G SAS 10K*1/H330/DVD/450W*1/3.5-4
Dell 1U R440 4210/8G*1/600G SAS 10K*1/H330/DVD/550W*2/3.5-4
Dell 1U R440 4214/8G*1/600G SAS 10K*1/H330/DVD/450W*1/3.5-4
Dell 1U R440 4214/8G*1/600G SAS 10K*1/H330/DVD/550W*2/3.5-4
Dell 1U R440 4216/8G*1/600G SAS 10K*1/H330/DVD/450W*1/3.5-4
Dell 1U R440 4216/8G*1/600G SAS 10K*1/H330/DVD/550W*2/3.5-4
Dell 1U R440 5218/8G*1/600G SAS 10K*1/H330/DVD/450W*1/3.5-4
Dell 1U R440 5218/8G*1/600G SAS 10K*1/H330/DVD/550W*2/3.5-4
Dell PowerEdge R440 3104/8G/600G SAS 10K/H330/DVDRW/2*550W/3.5-4 Server
Dell PowerEdge R440 3104/8G/600G SAS 10K/H330/DVDRW/450W/3.5-4 Server
Dell PowerEdge R440 3106/8G/600G SAS 10K/H330/DVDRW/2*550W/3.5-4 Server
Dell PowerEdge R440 3106/8G/600G SAS 10K/H330/DVDRW/450W/3.5-4 Server

Dell PowerEdge R440 4110/8G/600G SAS 10K/H330/DVDRW/2*550W/3.5-4 Server
Dell PowerEdge R440 4110/8G/600G SAS 10K/H330/DVDRW/450W/3.5-4 Server
Dell PowerEdge R440 4114/8G/600G SAS 10K/H330/DVDRW/2*550W/3.5-4 Server
Dell PowerEdge R440 4114/8G/600G SAS 10K/H330/DVDRW/450W/3.5-4 Server
Dell PowerEdge R440 5115/8G/600G SAS 10K/H330/DVDRW/2*550W/3.5-4 Server
Dell PowerEdge R440 5115/8G/600G SAS 10K/H330/DVDRW/450W/3.5-4 Server
Dell PowerEdge R440 5118/8G/600G SAS 10K/H330/DVDRW/2*550W/3.5-4 Server
Dell PowerEdge R440 5118/8G/600G SAS 10K/H330/DVDRW/450W/3.5-4 Server

WHERE TO BUY

Want to buy this series of products? please contact:

- Tel: +1-626-239-8066 (USA) +852-3050-1066 / +852-3174-6166
- Fax: +852-3050-1066 (Hong Kong)
- Email: sales@router-switch.com (Sales Inquiries)

Or visit: <u>Dell PowerEdge R440 Server</u>

About us

Router-switch.com, founded in 2002, is one of the biggest Global Network Hardware Supplier. We are a leading provider of network products with 18,000+ customers in over 200 countries. We provide original new and used network equipments (Cisco, Huawei, HPE, Dell, Juniper, Fortinet, Dahua, etc.), including Routers, Switches, Servers, Storage, Telepresence and Videoconferencing, IP Phones, Firewalls, IP Cameras, Wireless APs & Controllers, EHWIC/HWIC/VWIC Cards, SFPs, Memory & Flash, Hard Disk, Cables, and all kinds of network solutions related products.

SOURCES

https://i.dell.com/sites/csdocuments/Shared-Content data-Sheets Documents/en/poweredge-r440-spec-sheet.pdf