



# Dell PowerEdge R540 Server Datasheet



**Router-Switch.com**  
Leading Network Hardware Supplier

## CONTENT

Content.....	1
Overview.....	2
Features.....	2
Specification.....	3
Ordering information.....	7
Where to Buy.....	9
Sources.....	9

## Contact Us

Tel: +1-626-239-8066 (USA) +852-3050-1066 / +852-3174-6166 /

Fax: +852-3050-1066 (Hong Kong)

Email: [sales@router-switch.com](mailto:sales@router-switch.com) (Sales Inquiries)

## OVERVIEW

Satisfy a variety of applications with the flexible Dell PowerEdge R540. Its balanced combination of resources, expandability and affordability adapt to the changing demands of a modern data center. Optimize your application performance with one-button tuning. Scale for future requirements with up to 14 x 3.5" drives. Embedded diagnostics and SupportAssist help to maximize uptime without added effort, in a worry-free environment.

**Figure 1. Dell PowerEdge R540 Server**



## FEATURES

### **Power your applications with the versatility of the R540**

The PowerEdge R540 delivers the versatility and flexibility to power a variety of applications. With a balanced set of resources, expandability and affordability the R540 adapts to the demands of the modern data center with the ideal value optimized design. Automatically optimize performance with one button application tuning and scale for future demands with up to 14 3.5" drives.

- Scale compute resources with 2nd Generation Intel® Xeon® Scalable processors, and tailor performance based on your unique workload requirements.
- Automatically optimize application performance with one-button tuning.
- Flexible storage with up to 14 3.5" drives.
- Free up storage with boot optimized M.2 SSDs.

### **Intuitive systems management with intelligent automation**

Dell EMC PowerEdge servers are optimized for top efficiency and uptime, with intelligent automation that decreases time spent on the most common IT tasks. Combined with the agent-free management of the embedded iDRAC with Lifecycle Controller, the R540 is easily and effectively managed.

- Simplify data center management with OpenManage Essentials to intelligently automate the entire server life cycle management process – from bare-metal deployment, through configuration and updates, to ongoing maintenance.
- Use the OpenManage Mobile app to take advantage of new wireless Quick Sync 2 capabilities to efficiently perform management procedures at-the-server, across multiple servers within the data center, or monitor server status and respond to alerts, anytime, anywhere.

#### **Rely on PowerEdge with built-in security**

Every PowerEdge server is made with a cyber-resilient architecture, building security into all parts of a server's life cycle. The R540 uses these new security features so you can reliably and securely deliver the right data to where your customers are, no matter where they are. Dell EMC considers each part of system security, from design to end of life, to ensure trust and deliver worry-free, secure systems.

- Rely on a secure supply chain that protects servers from factory to the data center.
- Maintain data safety with cryptographically signed firmware packages and Secure Boot.
- Prevent unauthorized or malicious change with Server Lockdown.
- Wipe all data from storage media including hard drives, SSDs and system memory quickly and securely with System Erase.

## **SPECIFICATION**

<b>Specification</b>	<b>Dell PowerEdge R440 Server</b>
<b>Processor</b>	Up to two 2nd Generation Intel® Xeon® Scalable processors, up to 20 cores per processor

<b>Memory</b>	16 DDR4 DIMM slots, Supports RDIMM /LRDIMM, speeds up to 2666MT/s, 1TB max
<b>Storage controllers</b>	<p>Internal controllers: PERC H330, H730P, H740P, HBA330, Software RAID (SWRAID) S140</p> <p>Boot Optimized Storage Subsystem: HWRAID 2 x M.2 SSDs 120GB, 240 GB</p> <p>External PERC (RAID): H840</p> <p>External HBAs (non-RAID): 12 Gbps SAS HBA</p>
<b>Drive bays</b>	<p>Front drive bays: Up to 12 x 3.5" SAS/SATA HDD max 168TB</p> <p>Rear drive bays: Up to 2 x 3.5 SAS/SATA HDD max 28TB</p> <p>Optional DVD-ROM, DVD+RW</p>
<b>Power supplies</b>	<p>Platinum 495W, 750W, 750W 240V HVDC, 1100W, 1100W 380V HVDC</p> <p>Hot plug power supplies with full redundancy option</p> <p>Up to six fans</p>
<b>Dimensions</b>	<p>Form factor: Rack (2U) Height: 86.8mm (3.41")</p> <p>Width*: 434mm (17.08")</p> <p>Depth*: 693.81mm (27.31")</p> <p>Weight: 29.68kg (65.43lbs.)</p> <p>*Dimensions do not include bezel.</p>
<b>Bezel</b>	Optional LCD or security bezel
<b>Embedded / At-Server</b>	<p>iDRAC9</p> <p>iDRAC Direct</p>

	iDRAC REST API with Redfish  Quick Sync 2 BLE/wireless module
<b>Consoles &amp; Mobile</b>	OpenManage Enterprise  OpenManage Essentials  OpenManage Mobile  OpenManage Power Center
<b>Integrations</b>	OpenManage integrations: Microsoft® System Center, VMware® vCenter™, BMC Truesight, Red Hat® Ansible® Modules
<b>Connections</b>	Nagios® Core and Nagios® XI, IBM Tivoli® Netcool/OMNIBus  Micro Focus Operations Manager I
<b>Tools</b>	Dell EMC Repository Manager  Dell EMC Update Package  Dell EMC System Update  Dell EMC Server Update Utility  iDRAC Service Module  OpenManage Server Administrator  OpenManage Storage Services
<b>Security</b>	TPM 1.2/2.0, TCM 2.0 optional  Cryptographically signed firmware  Silicon Root of Trust  Secure Boot  System Lockdown (requires OpenManage Enterprise)

	System Erase
<b>I/O &amp; Ports</b>	<p>Network options: 2 x 1GbE LOM + (optional) LOM Riser 2 x 1GbE or 2 x 10GbE SFP+ or 2 x 10GbE BaseT</p> <p>Front ports: 1 x Dedicated iDRAC Direct USB, 1 x USB 2.0, 1 x Video</p> <p>Rear ports: 1 x Dedicated iDRAC network port, 1 x Serial, 2 x USB 3.0, 1 x Video</p> <p>With Optional Riser: Non-rear storage config: 1x FH/FL + 1x HH/HL (2U Right riser) slots + 3 HH/HL slots</p> <p>Rear storage config: 1x HH/HL (1U Left Riser) + 1x HH/HL (1U Right risers) slot or 1x HH/HL (1U Left Riser) + 1x FH/HL (1U Right riser)</p>
<b>Supported operating systems</b>	<p>Canonical® Ubuntu® Server LTS</p> <p>Citrix® Hypervisor</p> <p>Microsoft Windows Server® LTSC with Hyper-V</p> <p>Red Hat® Enterprise Linux</p> <p>SUSE® Linux Enterprise Server</p> <p>VMware® ESXi</p>
<b>OEM-ready version available</b>	From bezel to BIOS to packaging, your servers can look and feel as if they were designed and built by you.
<b>Recommended support</b>	Choose Dell ProSupport Plus for critical systems or Dell ProSupport for premium hardware and software support for your PowerEdge solution. Consulting and deployment offerings are also available. Contact your Dell representative today for more information. Availability and terms of Dell Services vary by region.
<b>Dell Financial Services</b>	Deliver results with easy financing. Explore financial options that move at the speed of business.

## ORDERING INFORMATION

### Configured Models

[Dell 2U R540 3204/8G\\*1/600G SAS 10K\\*1/H330/DVD/750W\\*1/3.5-8](#)

[Dell 2U R540 3204/8G\\*1/600G SAS 10K\\*1/H330/No DVD/750W\\*1/3.5-12](#)

[Dell 2U R540 4208/8G\\*1/600G SAS 10K\\*1/H330/DVD/750W\\*1/3.5-8](#)

[Dell 2U R540 4208/8G\\*1/600G SAS 10K\\*1/H330/No DVD/750W\\*1/3.5-12](#)

[Dell 2U R540 4210/8G\\*1/600G SAS 10K\\*1/H330/DVD/750W\\*1/3.5-8](#)

[Dell 2U R540 4210/8G\\*1/600G SAS 10K\\*1/H330/No DVD/750W\\*1/3.5-12](#)

[Dell 2U R540 4214/8G\\*1/600G SAS 10K\\*1/H330/DVD/750W\\*1/3.5-8](#)

[Dell 2U R540 4214/8G\\*1/600G SAS 10K\\*1/H330/No DVD/750W\\*1/3.5-12](#)

[Dell 2U R540 4216/8G\\*1/600G SAS 10K\\*1/H330/DVD/750W\\*1/3.5-8](#)

[Dell 2U R540 4216/8G\\*1/600G SAS 10K\\*1/H330/No DVD/750W\\*1/3.5-12](#)

[Dell 2U R540 5218/8G\\*1/600G SAS 10K\\*1/H330/DVD/750W\\*1/3.5-8](#)

[Dell 2U R540 5218/8G\\*1/600G SAS 10K\\*1/H330/No DVD/750W\\*1/3.5-12](#)

[Dell PowerEdge R540 3104/8G/600G SAS 10K/2\\*1GE/H330/DVD/495W/3.5-8 Server](#)

[Dell PowerEdge R540 3104/8G/600G SAS 10K/H330/DVD/495W/3.5-12 Server](#)

[Dell PowerEdge R540 3106/8G/600G SAS 10K/2\\*1GE/H330/DVD/495W/3.5-8 Server](#)

[Dell PowerEdge R540 3106/8G/600G SAS 10K/H330/DVD/495W/3.5-12 Server](#)



[Dell PowerEdge R540 4110/8G/600G SAS 10K/2\\*1GE/H330/DVD/495W/3.5-8 Server](#)

[Dell PowerEdge R540 4110/8G/600G SAS 10K/H330/DVD/495W/3.5-12 Server](#)

[Dell PowerEdge R540 4114/8G/600G SAS 10K/2\\*1GE/H330/DVD/495W/3.5-8 Server](#)

[Dell PowerEdge R540 4114/8G/600G SAS 10K/H330/DVD/495W/3.5-12 Server](#)

[Dell PowerEdge R540 5115/8G/600G SAS 10K/2\\*1GE/H330/DVD/495W/3.5-8 Server](#)

[Dell PowerEdge R540 5115/8G/600G SAS 10K/H330/DVD/495W/3.5-12 Server](#)

[Dell PowerEdge R540 5118/8G/600G SAS 10K/2\\*1GE/H330/DVD/495W/3.5-8 Server](#)

[Dell PowerEdge R540 5118/8G/600G SAS 10K/H330/DVD/495W/3.5-12 Server](#)

## WHERE TO BUY

**Want to buy this series of products? please contact:**

- Tel: +1-626-239-8066 (USA) +852-3050-1066 / +852-3174-6166
- Fax: +852-3050-1066 (Hong Kong)
- Email: [sales@router-switch.com](mailto:sales@router-switch.com) (Sales Inquiries)

**Or visit:** [Dell PowerEdge R540 Server](#)

### About us

Router-switch.com, founded in 2002, is one of the biggest Global Network Hardware Supplier. We are a leading provider of network products with 18,000+ customers in over 200 countries. We provide original new and used network equipments ([Cisco](#), [Huawei](#), [HPE](#), [Dell](#), [Juniper](#), [Fortinet](#), [Dahua](#), etc.), including Routers, Switches, Servers, Storage, Telepresence and Videoconferencing, IP Phones, Firewalls, IP Cameras, Wireless APs & Controllers, EHWIC/HWIC/VWIC Cards, SFPs, Memory & Flash, Hard Disk, Cables, and all kinds of network solutions related products.

## SOURCES

<https://i.dell.com/sites/doccontent/shared-content/data-sheets/en/Documents/PowerEdge-R540-Spec-Sheet.pdf>